	Application No.	Applicant(s)
Notice of Allowability	10/069,294	GODI ET AL.
	Examiner	Art Unit
	Christy M Green	3635
The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1.		
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT</li> </ol>		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6.  Interview Summary	(PTO-413),
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 12/8/04</li> </ol>	Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	te nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.  Other  eart D. Friedr  Supervisory Patent  Group 360	Examiner

## **DETAILED ACTION**

This is a first office action for serial number 10/069294, entitled Multi-layer Slab Product made of Stone Granulates and Relative Manufacturing Process, filed on February 25, 2002.

## Allowable Subject Matter

Claims 6, 8, 10-27 are allowed.

The following is an examiner's statement of reasons for allowance: within claims 6, 10 and 22, prior art does not disclose a process for preparing a multi-layer composite slab product including the steps of prior to any vibro-compression, positioning the a first layer of one pre-cast support made of an expanded agglomarate and binding agent where the expanded material layer is in direct contact and intermediate with first and second surface layers.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christy M Green whose telephone number is 703-308-9693. The examiner can normally be reached on M-F 8:00-4:00.

Application/Control Number: 10/069,294

Art Unit: 3635

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on 703-308-0839. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Cg Cg

December 8, 2004